

# CETA® Pressure Compensating Drippers

A turbulent flow, Pressure Compensating dripper available in 3 flows.

## Features

- Take-Apart for easy inspection and cleaning.
- Self-flushing action with insect baffle to minimise blockages.
- PC barbed dripper range: 2 lph, 4 lph and 8 lph with 4 mm spout.
- Also available with 3 mm and 4 mm barb outlets.
- Coloured bases to identify flow rates.
- 4 lph PC Spike and In-Line Spike models to anchor CETA® at the plant.

## Applications

Pots, planter boxes, balcony patio and landscape applications.

Performance	DISCHARGE (lph)		
	2 lph	4 lph	8 lph
<b>PRESSURE (kPa)</b>			
50	1.9	3.3	6.2
100	2.0	3.8	7.9
150	2.2	4.2	7.9
200	2.3	4.4	8.1
250	2.3	4.4	8.1
300	2.3	4.4	8.0
350	2.2	4.3	7.8

## CETA® PC

NOMINAL FLOW	BASE COLOUR	ORDER CODE	PACK QUANTITY	PACKS PER CARTON	CARTON (kg)
2 lph	Red	30425	100	70	13.3
4 lph	Black	30445	100	70	13.3
8 lph	Green	30485	100	70	13.3

## CETA® PC with 3 mm Barb Outlet

NOMINAL FLOW	BASE COLOUR	ORDER CODE	PACK QUANTITY	PACKS PER CARTON	CARTON (kg)
2 lph	Red	30515	100	60	13.5
4 lph	Black	30525	100	60	13.5
8 lph	Green	30535	100	60	13.5

## CETA® PC with 4 mm Barb Outlet

NOMINAL FLOW	BASE COLOUR	ORDER CODE	PACK QUANTITY	PACKS PER CARTON	CARTON (kg)
2 lph	Red	30545	100	60	13.5
4 lph	Black	30555	100	60	13.5
8 lph	Green	30565	100	60	13.5

## CETA® PC 4 lph Spike

BASE TYPE	ORDER CODE	PACK QUANTITY	PACKS PER CARTON	CARTON (kg)
Spike	30625	25	40	6.3
In-Line Spike	30655	25	40	6.3

## Specifications

DIMENSIONS ASSEMBLED		CETA® PC	CETA® PC with 3 mm or 4 mm barb outlet	CETA® PC Spike/In-Line Spike
HEIGHT		25 mm	35 mm	135 mm
WIDTH		20 mm	20 mm	36 mm / 42 mm
DEPTH		16 mm	16 mm	16 mm
WEIGHT (approx)		1.7 g	2.0 g	5.0 g
UV STABILISED MATERIAL	BASE/SPIKE CAP DIAPHRAGM ADAPTOR	polypropylene polypropylene silicone rubber	polypropylene polypropylene silicone rubber acetal	polypropylene polypropylene silicone rubber
CONNECTION TYPE:	Inlet Outlet	BARB 4 mm SPOUT 4 mm	BARB 4 mm BARB 3 mm or 4 mm	BARB 4 mm SPOUT 4 mm



CETA® PC 4 lph Spike 4 mm

CETA® PC 4 lph In-Line Spike 4 mm



CETA® PC 2 lph Barb 4 mm

CETA® PC 4 lph Barb 4 mm

CETA® PC 8 lph Barb 4 mm



CETA® PC 2 lph Barb 4 mm 3 mm or 4 mm Outlet

CETA® PC 4 lph Barb 4 mm 3 mm or 4 mm Outlet

CETA® PC 8 lph Barb 4 mm 3 mm or 4 mm Outlet